

# Pre-school Students 3-5 Years Old

## New Hampshire Immunization Requirements 2020-2021

Refer to page 2 for minimum ages and intervals

### DIPHTHERIA, TETANUS, PERTUSSIS (DTaP/DTP/DT)

<b>3-5 years</b>	Four doses. The 3 <sup>rd</sup> and 4 <sup>th</sup> dose must be separated by at least 6 months.
------------------	--

### POLIO

<b>3-5 years</b>	Three doses. Any OPV dose(s) given on or after April 1, 2016 does not count toward the polio vaccine requirement and the series must be completed with IPV.
------------------	--

### MEASLES, MUMPS, and RUBELLA (MMR)

<b>3-5 years</b>	One dose. This dose must be administered on or after age 12 months.
------------------	---

### HAEMOPHILUS INFLUENZAE TYPE B (Hib)

<b>3-5 years</b>	One dose on or after 15 months of age OR Four doses with the last dose administered on or after 12 months of age OR <b>see catch-up schedule below*</b> Hib is not required for children $\geq$ 5 years of age.
------------------	--

### HEPATITIS B

<b>3-5 years</b>	Three doses given at acceptable intervals. See attached schedule (page 2)
------------------	---

### VARICELLA (CHICKEN POX)

<b>3-5 years</b>	One dose. This dose must be administered on or after age 12 months. OR laboratory confirmation of chicken pox disease.
------------------	---

\*Hib catch-up vaccination schedule:

- If unvaccinated at 15-59 months: 1 dose needed.
- If dose 1 given before 12 months and dose 2 before 15 months, 3<sup>rd</sup> and final doses must be 8 weeks after dose 2.
- If dose 1 given at 7-11 months, dose 2 must be at least 4 weeks later and 3<sup>rd</sup> and final dose given at 12-15 months or 8 weeks after dose 2 (whichever is later).
- If dose 1 given at 12-14 months, 2<sup>nd</sup> and final dose must be at least 8 weeks after dose 1.
- If **PedvaxHIB** brand used, call NHIP for recommended schedule and requirements for dosing.